

# **HURRIPAK™ Periodontal Anesthetic Kit**

20% Benzocaine Oral Anesthetic Liquid

## **Drug Facts**

### **Active ingredient**

Benzocaine 20% .....Oral Anesthetic

### **Purpose**

**Uses** for the temporary relief of occasional minor irritation and pain associated with minor dental procedures

### **Warnings**

**Allergy alert:** Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

**When using this product** • avoid contact with eyes

**Keep out of reach of children.** If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

**Directions:** • do not exceed recommended dosage

- adults and children 12 years and older: pull up to 3mL of HurriCaine liquid into the disposable syringe and then attach the disposable tip. Apply a small amount of HurriCaine liquid to the gingival margin and directly into the periodontal pockets on the buccal and lingual surfaces, one quadrant at a time. Anesthesia will take place in 15 - 30 seconds.
- 3mL or less should be adequate for complete scaling of all 4 quadrants
- discard syringe and tip after use on each patient

### **Other information**

- Do not use if imprinted seal under cap of HurriCaine Liquid is broken or missing
- store at 20°-25°C (68°-77°F)

**Inactive ingredients** flavor, polyethylene glycol, sodium saccharin

### **Questions or comments?**

**1-800-238-8542 or 1-847-473-1100** M-F: 8:00 a.m. – 4:30 p.m. CT.

Beutlich® LP, Pharmaceuticals

1541 Shields Drive, Waukegan, IL 60085

HurriCaine is a registered trademark of Beutlich LP, Pharmaceuticals.

HurriPAK is a trademark of Beutlich LP, Pharmaceuticals.

www.beutlich.com HPDF 467 0109

